

# 5.1 - Linear Program

We interpret  $G$  with each edge 

Unknown macro: 'mathinline'

 colored by read mappings as a flow network, considering the read volume assigned to every (super-) edge as a flux created by the expression of the underlying supporting transcripts  $T$ . Consequently, given an edge 

Unknown macro: 'mathinline'

 the contribution of the supporting transcripts 

Unknown macro: 'mathinline'

 to the flux 

Unknown macro: 'mathinline'

 observed along  $e$  can be described by a linear equation 

Unknown macro: 'mathinline'

(Equation 1)

where  $f_i$  represents a factor that expresses the fraction of the respective transcript expression  $t_i$  observed between  $tail_e$  and  $head_e$ . In the trivial case,  $f_i$  corresponds to the proportion of the interval  $[tail_e; head_e]$  in comparison to the entire length of the processed transcript. The correction factor 

Unknown macro: 'mathinline'

 in Eq.1 is to compensate for divergence from the expectation created by stochastic sampling intrinsic to RNA-Seq experiments.

The crux of the flux is that an RNA-Seq experiment provides a series of observations on the underlying expression level  $t_i$  along the transcript body. Following tradition in transportation problems, we model all of these observations as a system of linear equations by inferring Equation 1 on all 

Unknown macro: 'mathinline'

. Subsequently, the linear equations spanned by a locus are resolved by the objective function 

Unknown macro: 'mathinline'

(Equation 2)

Solving the linear program (Eq.2) imposed by a locus intrinsically provides an estimate for the expression level  $t_i$  of all alternative transcripts that are annotated.